





V-Press 860 Plus - High density

This is the most sought after high-density cardboard baler for business wishing to produce export quality cardboard bales in New Zealand. The HSM V-Press 860 Plus enables quick and easy strapping of bales with steel wire.


FEATURES

- Convenient membrane keypad with text display, which shows the current status of the machine.
- Manual 4-fold strapping with Cut & Looped wire.
- · Rapid stroke technology saves time and money.
- Special retaining claws optimise the compression of the pressing material and reduce the number of loading actions.
- Comfortable, easy-to-use membrane keypad with text display which show the current status of the machine.
- High process reliability due to HSM TCS (Torsion Control System).
- · Configuration: Sliding door with hand wheel door lock.
- Presets included for cardboard & plastic compaction.

NOTE: We have a range of strapping and wire available for this machine.

TECHNICAL INFORMATION

Pressing power:	594 kN
Driving power:	4 kW
Voltage / Frequency:	400 V / 50 Hz
Cycle time when idle empty:	25 s
Volume throughput in idle operation (theor.):	12 m³/h
Loading height:	1110 mm
Loading aperture width x height:	1195 x 650 mm
Width x Depth x Height:	1797 x 1314 x 2990 mm
Weight:	2008 kg
Related product line:	V-Press
Type of consumables:	Cut & Looped
Press material:	Plastic film, Mixed paper, Cardboard



BALE INFORMATION

Length x Width x Height:	1200 x 780 x 1000 mm
Weight:	430 kg

